2027 DEALER PRICE BOOK
CANADA

MKMARTIN



7 YEAR WARRANTY

GALVANIZED STEEL BODY!

PULL TYPE PERFORMANCE SNOWBLOWERS

- Corrosion Resistance
- Extended Product Life
- Available upgrade on SB78PT-P, SB87PT-P & SB97PT-P Models

See Page 8







1000 RPM GEARBOX KIT

- Now available on SB87, SB97 & SB87D.
- Allows for snowblower to be front mounted.
- Increases tractor efficiency.

See Page 4

ADJUSTABLE HANDLES

GARDEN HILLER

- New adjustable handle instead of bolts

See Page 49



FIELD ROLLER

UPDATES

- Added filters for a smoother running hydraulic system
- Improved main cylinder mount for more robust operation
- Drum centering spacers
- Optional pintal hitch

See Page 57





ELECTRIC DEFLECTOR

ADD-ON KIT

- Operate deflector from the cab
- Runs off 12V battery

See Page 6

MULTI-HINGE DEFLECTOR!

NOW AVAILABLE FOR MULTIPLE MODELS.

- Now available for all snowblowers. New this year for the 54 and 60 inch models.
- Provides you with finer precision over where your snow is being blown.

See Page 6



BOX BLADE

SKID SHOES

- Controls the spread of material
- Extended Product Life
- 3 levels of height adjustments

See Page 33



4000 SERIES

SNOWBLOWER UPDATES



- Increased sprocket size on bottom auger to help power though snow pack
- Increased bottom auger drive shaft size for a more robust auger
- Doubled the bearings on cross shaft to support heavier drive torque
- More robust chain tightener system
- Added snow diverter by the fan on RH model to improve snow flow

See Page 11



PTO Snowblowers
Page 01



Pull Type Snowblowers
Page 07



Commercial Snowblowers
Page 11



Hydraulic Snowblowers
Page 13



Loader Mounts & Power Packs
Page 15



Bobcat/Steiner/ Ventrac
Page 16



Self-Powered Snow Throwers
Page 17



PTO Rotary Cutters
Page 19



PTO Rotary Cutters - Wing
Page 25



Skidsteer Rotary Cutters
Page 26



Extreme Duty Brush Cutters
Page 27



Finishing Mowers
Page 29



Lawn Sweepers
Page 31



Rotary Sweepers
Page 32



3PH Box Blades
Page 33



Land Planes
Page 34



Grader Blades
Page 35



XD Grader Blades
Page 37



Grader Levelers
Page 39



Land Levelers
Page 41



Weight Boxes
Page 42



Landscape Rakes
Page 43



Cultivators
Page 44



Track Curries
Page 45



Rotary Tillers
Page 47



Garden Hillers
Page 49



Potato Digger
Page 50



Trailer Backhoe
Page 51



Gravity Boxes
Page 53



Field Roller
Page 57



SINGLE AUGER SNOWBLOWERS

Clear your driveway quickly and cut through drifts confidently with MK Martin's single auger PTO snowblowers. These PTO-powered 3-point hitch snowblowers shine bright with 12 HP capacity tractors all the way up to 75 HP farm tractor.

SCAN QR CODE
SEE MORE ONLINE





FEATURES

- 7 year limited warranty
- High tensile steel flighting
- 3PH quick attach compatible
- 5 blade fan/impeller
- Manual chute deflector

OPTIONS

- Hydraulic rotators (all models)
- Manual rotators
- Hydraulic chute deflector
- Multi-hinged chute deflector
- Truck loading chute
- Wing Kit (SB54-SB72)

See option details on page 5

12-30HP
48"- 68" CUTTING






Models	SB48	SB54	SB60	SB68
HP (Rec.)	12 HP	15 HP	20 HP	30 HP
Cutting Width	48”	54”	60”	68”
Cutting Edge	¼ x 1-½	3/8 x 1	3/8 x 1	3/8 x 1
Auger Diam.	12”	14”	14”	14”
Fan Diam.	19”	21”	21”	21”
Chute Diam.	7”	8”	8”	10”
Chute Rotation (Man/Hyd/Elec)	Man. Hyd. Elec. Opt.	Man. Hyd. Elec. Opt.	Man. Hyd. Elec. Opt.	Man. Hyd. Elec. Opt.
Chute Deflector (Man/Hyd/Elec)	Manual Only	Man. Hyd. Elec. Opt.	Man. Hyd. Elec. Opt.	Man. Hyd. Elec. Opt.
Main Body Height	22.5”	25”	25”	25”
3PH Mount	Cat. 1	Cat. 1	Cat. 1	Cat. 1
Weight (LBS.)	266	366	396	506
Wing Kit	N/A	Optional	Optional	Optional
List Price (no rotator)	NA	NA	NA	$4,595
with Manual Rotator	$3,785	$4,050	$4,125	$4,810
with Hydraulic Rotator	$4,305	$4,570	$4,645	$5,115
with Electric Rotator	$5,160	$6,735	$5,500	$5,970

See option details on page 5

35-75HP
72"- 97" CUTTING






Models	SB72	SB78	SB87	SB97
HP (Rec.)	35 HP	50 HP	60 HP	75 HP
Cutting Width	72”	78”	87”	97”
Cutting Edge	3/8 x 1	½ x 1-½	½ x 2	½ x 2
Auger Diam.	14”	15”	19”	19”
Fan Diam.	21”	23”	27”	27”
Chute Diam.	10”	10”	12”	12”
Chute Rotation (Man/Hyd/Elec)	Man. Hyd. Elec. Opt.	Man. & Hyd. Opt.	Man. & Hyd. Opt.	Man. & Hyd. Opt.
Chute Deflector (Man/Hyd/Elec)	Man. Hyd. Elec. Opt.	Man. & Hyd. Opt.	Man. & Hyd. Opt.	Man. & Hyd. Opt.
Main Body Height	25”	29”	36”	36”
3PH Mount	Cat. 1	Cat. 1 & 2	Cat. 2	Cat. 2
Weight (LBS.)	540	748	1,034	1,106
Wing Kit	Optional	N/A	N/A	N/A
List Price (no rotator)	$4,675	$5,965	$6,790	$7,175
with Manual Rotator	$4,890	$6,180	$7,005	$7,390
with Hydraulic Rotator	$5,195	$6,485	$7,310	$7,695
with Electric Rotator	$6,050	$7,340	NA	NA
with 1000 RPM Gearbox Kit (See details on page 4)	N/A	N/A	+ $3,530 (add to price)	+ $3,530 (add to price)

See option details on page 5



DOUBLE AUGER SNOWBLOWERS

Make quick work of snow clearing with MK Martin's double auger PTO snowblowers. These PTO-powered 3-point hitch snowblowers are built tough for 60 HP tractors all the way up to larger 200 HP models.

SCAN QR CODE
SEE MORE ONLINE





FEATURES

- 5 blade impeller
- 7 year limited warranty
- High tensile steel flighting on top and bottom augers
- Cat. 2 - 3PH on model SB87D
- Cat. 2 & Cat. 3 on SB97D-SB120D
- Hydraulic chute rotator standard (SB97D - SB120D)
- Manual chute deflector on all models
- Skid shoes
- Fan Housing is made with AR400 steel

OPTIONS

- Hydraulic chute rotator (standard on SB97D-SB120D)
- Hydraulic chute deflector
- Truck loading chute
- Multi-hinged deflector

See option details on page 5

60-125HP
87"- 108" CUTTING





Models	SB87D	SB97D	SB108D
Opt. 1000 RPM	Yes	Yes	Yes
HP (Rec.)	60 HP	100 HP	125 HP
Cutting Width	87"	97"	108"
Cutting Edge	½ x 2	½ X 6*	½ x 6*
Auger Diam.	15" (Top Auger) 15" (Bottom Auger)	15" (Top Auger) 19" (Bottom Auger)	15" (Top Auger) 19" (Bottom Auger)
Fan Diam.	27"	32"	32"
Chute Diam.	12"	13"	13"
Chute Rotation (Man/Hyd/Elec)	Man. Hyd. Elec. Opt.	Hydraulic Standard	Hydraulic Standard
Chute Deflector (Man/Hyd/Elec)	Man. Hyd. Elec. Opt.	Man. Hyd. Elec. Opt.	Man. Hyd. Elec. Opt.
Main Body Height	36"	43"	43"
3PH Mount	Cat. 2	Cat. 2 & 3	Cat. 2 & 3
Weight (LBS.)	1,161	1,900	1,980
Tube	3 ½" OD	4 ½" OD HEAVY WALL	4 ½" OD HEAVY WALL
Flighting	5/16 x 2 ¼	5/16 x 2-¼	5/16 x 2-¼
Roller Chain	#60 Heavy	#80	#80
Fan Depth	10"	12"	12"
Auger Drive Shaft	1 ¼"	1-¾"	1-¾"
Fan Output Shaft	40mm	2"	2"

Models	HP	PTO Shaft	RPM	1000 RPM Kit	List Price
SB87D	100-125	6 Spline	540	N/A	$7,705
SB87D with Manual Rotator	100-125	6 Spline	540	N/A	$8,120
SB87D with Hydraulic Rotator	100-125	6 Spline	540	N/A	$9,080
SB87DF	100-125	1 3/8" 21 spline	1000	Included	$12,720
SB87DF with Manual Rotator	100-125	1 3/8" 21 spline	1000	Included	$12,935
SB87DF with Hydraulic Rotator	100-125	1 3/8" 21 spline	1000	Included	$13,240
SB97D	100-125	6 Spline	540	N/A	$11,765
SB97D175	125-175	6 Spline	540	N/A	$12,315
SB97DF1.75	125-175	1 ¾" 20 Spline	1000	Included	$15,300
SB97DF	150-200	1 3/8" 21 Spline	1000	Included	$14,850
SB108D	100-125	6 Spline	540	N/A	$12,405
SB108D175	125-175	6 Spline	540	N/A	$12,940
SB108DF1.75	125-175	1 ¾" 20 Spline	1000	Included	$15,965
SB108DF	150-200	1 3/8" 21 Spline	1000	Included	$15,770

See option details on page 5

1000 RPM GEARBOX KIT

All models with "F" in the name come standard with the 1000 RPM Gearbox Kit.
The 1000 RPM Kit raises the input shaft to allow the PTO shaft to run at a lesser angle on larger tractors, increasing the efficiency and life of the driveline components. The reduction box also allows you to reverse the rotation so you can mount a regular snowblower to the front of a tractor.
PTO shaft not included.

Part #	List Price
SB97/1081000	$3,530





SNOWBLOWER OPTIONS

CHUTE ROTATOR

Meteor snowblower chute rotators come in manual (crank), hydraulic (orbital motor), and electric.



Manual

Part #	Description
SB48MR25	Fits 48" model
SB60MR25	Fits 54" and 60" models
SB68MR25	Fits 68" and 72" models
SB78MR25	Fits 78" models
SB87MR25	Fits 87s, 97s, 87D models
SB60PTMR25	Fits 60" Pull Type
SB68PTMR25	Fits 68" and 72" Pull Type
SB78PTMR25	Fits 78" Pull Type
SB87PTMR25	Fits 87" Pull Type
SB97PTMR25	Fits 97" Pull Type
SB54PT-PMR25	Fits 54" Performance Pull Type
SB60PT-PMR25	Fits 60" Performance Pull Type
SB68PT-PMR25	Fits 68" Performance Pull Type
SB72PT-PMR25	Fits 72" Performance Pull Type
SB78PT-PMR25	Fits 78" Performance Pull Type
List Price	$215



Hydraulic

Part #	List Price
SBHR13	$520



Electric

Part #	List Price
SBER13	$1,375

ELECTRIC DEFLECTOR

NEW

Gain more control by upgrading to the electric chute deflector.

Part #	Applicable Models	List Price
SBEDA5413	Fits SB54 up to SB72 including pull-types	$1,150
SBEDA78	Fits SB78 - SB97	$1,150





WING KITS

- Fits SB54, SB60, SB68, and SB72
- 18" tall. Made with 10 gauge steel
- Increases path 2" per side

Part #	Applicable Models	List Price
55399	Fits SB54, SB60, SB68, SB72	$115
60962	Fits SB54, SB60, SB68, SB72	$115
60963	Fits SB78, SB87, SB97	$155

HYDRAULIC DEFLECTOR

Hydraulic chute deflector includes the cylinder and the hoses.

Part #	Applicable Models	List Price
SB68HD	Fits 54-72	$395
SB75HD	Fits 78-120	$445



MULTI-HINGED DEFLECTOR

Meteor's multi-hinged deflector provides you with finer control over where your snow is blown. Cylinder not included.

Part #	Applicable Models	List Price
SB60MHD	Fits 54,60	$450
SB68MHD	Fits 68-72	$475
SB78MHD	Fits 62-66-76-86-96	$560
SB87MHD13	Fits 87-87D-97	$625
SB108MHD	Fits 97D-120D	$685



TRUCK LOADING CHUTE

- Provides up to 40" of additional height
- Hydraulic rotation
- Hydraulic multi-hinged deflector

Part #	Applicable Models	List Price
SB87TLC	87S, 97S, & 87D	$4,425
SB108TLC	97D & 108D	$6,245
SB120TLC	120D	$6,245



See applicable setup fees on page 60

7 YEAR WARRANTY





PULL TYPE SNOWBLOWERS - PERFORMANCE SERIES

The Performance Series Pull Type Snowblower puts the operator ahead of the action by inverting the traditional tractor PTO powered snowblower design. With the auger and impeller facing forward, you can now safely clear snow while driving your tractor facing the way it was meant to be driven.

SCAN QR CODE
SEE MORE ONLINE

25-80HP
54"- 97" CUTTING









Models	SB54PT-P	SB60PT-P	SB68PT-P	SB72PT-P
HP (Rec.)	25 HP	25 HP	35 HP	35 HP
Cutting Width	54"	60"	68"	72"
Cutting Edge	Bolt On (½ x 4)	Bolt On (½ x 4)	Bolt On (½ x 4)	Bolt On (½ x 4)
Auger Diam.	14"	14"	14"	14"
Fan Diam.	21"	21"	21"	21"
Chute Diam.	8"	8"	10"	10"
Chute Rotation	Man. Hyd. Elec. Opt.	Man. Hyd. Elec. Opt.	Man. Hyd. Elec. Opt.	Man. Hyd. Elec. Opt.
Chute Deflector	Manual Std./Opt. 6" cyl.	Manual Std./Opt. 6" cyl.	Manual Std./Opt. 6" cyl.	Manual Std./Opt. 6" cyl.
Multi Hinge Deflector	Std.	Std.	Std.	Std.
Main Body Height	23"	23"	23"	23"
3PH Mount	Cat. 1	Cat. 1	Cat. 1	Cat. 1
Weight (LBS.)	462	495	671	685
Tube Size	2 3/8" OD	2 3/8" OD	2 3/8" OD	2 3/8" OD
Flighting Size	¼ x 2 ¼	¼ x 2 ¼	¼ x 2 ¼	¼ x 2 ¼
Roller Chain Drive	# 50	# 50	# 60 Heavy	# 60 Heavy
Fan Depth	5"	5"	7"	7"
Auger Drive Shaft Size	1"	1"	1 ¼"	1 ¼"
Fan Output Shaft Size	1 3/8"	1 3/8"	1 3/8"	1 3/8"
List Price (no rotator)	$6,520	$6,665	$7,580	$7,795
with Manual Rotator	$6,735	$6,880	$7,795	$8,010
with Hydraulic Rotator	$7,040	$7,185	$8,100	$8,315
with Electric Rotator	$7,895	$8,040	$8,955	$9,170

See option details on page 5

FEATURES

- Cleans tight to the garage door
- 5 blade impeller
- 7 year limited warranty
- High tensile steel flighting
- Multi-hinged deflector









SB78PT-P	SB87PT-P	SB97PT-P
50 HP	80 HP	80 HP
78”	87”	97”
Bolt On (½ x 4)	Bolt On (½ x 4)	Bolt On (½ x 4)
15”	15”	15”
23”	27”	27”
10”	12”	12”
Man. Hyd. Elec. Opt.	Man. Hyd. Elec. Opt.	Man. Hyd. Elec. Opt.
Manual Std./Opt. 8” cyl.	Manual Std./Opt. 8” cyl.	Manual Std./Opt. 8” cyl.
Std.	Std.	Std.
26”	28”	28”
Cat. 1 & 2	Cat. 2	Cat. 2
900	1,175	1,260
3 ½” OD	3 ½” OD	3 ½” OD
¼ x 2 ¼	5/16 x 2 ¼	5/16 x 2 ¼
# 60 Heavy	# 60 Heavy	# 60 Heavy
8”	10”	10”
1 ¼”	1 ¼”	1 ¼”
40mm	40mm	40mm
$9,145	$11,035	$11,750
$9,360	N/A	N/A
$9,665	$11,555	$12,270
$10,520	N/A	N/A

OPTIONS

- Manual chute rotator
- Electric chute rotator
- Hydraulic chute rotator
- Hydraulic chute deflector
- TIVAR plastic skid shoes
- TIVAR plastic cutting edge
- Galvanized steel body

See option details on page 5



NEW

Now available with Galvanized body!

Available upgrade on SB78PT-P, SB87PT-P & SB97PT0P Models

List Price	$1,200

TIVAR WEAR PARTS

TIVAR is a wear resistant plastic that replaces steel cutting edges and bolts onto the skid shoes.
Optional on Pull Type models, TIVAR is gentler when clearing, ideal for interlocking brick and decorative stone.



Skid Shoe



Cutting Edge

Part #	TIVAR Kit	List Price
SB54PTTK	Cutting Edge & Skid Shoes	$585
SB60PTTK	Cutting Edge & Skid Shoes	$645
SB68PTTK	Cutting Edge & Skid Shoes	$735
SB72PTTK	Cutting Edge & Skid Shoes	$835
SB78PTTK	Cutting Edge & Skid Shoes	$835
SB87PTTK	Cutting Edge & Skid Shoes	$855
SB97PTTK	Cutting Edge & Skid Shoes	$895

See applicable setup fees on page 60

7 YEAR WARRANTY



PULL TYPE SNOWBLOWERS

MK Martin's Pull Type Snowblowers connect to your tractors 3PH. The hitch-facing design allows you to drive straight forward pulling the hitch instead of backing it into the snow. This means you no longer have to keep looking over your shoulder when blowing snow or drive into a cloud of blown snow. Since the blower follows the tractors path guiding it around objects is easy.

SCAN QR CODE
SEE MORE ONLINE

25-60HP
54"- 97" CUTTING









Models	SB54 P/T	SB60 P/T	SB68 P/T	SB72 P/T
HP (Rec.)	25 HP	25 HP	35 HP	35 HP
Cutting Width	54"	60"	68"	72"
Cutting Edge	Bolt On (½ x 4)	Bolt On (½ x 4)	Bolt On (½ x 4)	Bolt On (½ x 4)
Auger Diam.	14"	14"	14"	14"
Fan Diam.	21"	21"	21"	21"
Chute Diam.	8"	8"	10"	10"
Chute Rotation	Man. Hyd. Elec. Opt.	Man. Hyd. Elec. Opt.	Man. Hyd. Elec. Opt.	Man. Hyd. Elec. Opt.
Chute Deflector	Manual Std./Opt. 6" cyl.	Manual Std./Opt. 6" cyl.	Manual Std./Opt. 6" cyl.	Manual Std./Opt. 6" cyl.
Double Hood Deflector	N/A	N/A	Std.	Std.
Main Body Height	25"	25"	25"	25"
3PH Mount	Cat. 1	Cat. 1	Cat. 1	Cat. 1
Weight (LBS.)	462	495	671	685
Tube Size	2 3/8" OD	2 3/8" OD	2 3/8" OD	2 3/8" OD
Flighting Size	¼ x 2 ¼	¼ x 2 ¼	¼ x 2 ¼	¼ x 2 ¼
Roller Chain Drive	# 50	# 50	# 60 Heavy	# 60 Heavy
Fan Depth	5"	5"	7"	7"
Blades Per Fan	5	5	5	5
Auger Drive Shaft Size	1"	1"	1 ¼"	1 ¼"
Fan Output Shaft Size	1 3/8"	1 3/8"	1 3/8"	1 3/8"
List Price (no rotator)	$6,015	$6,100	$6,885	$7,025
with Manual Rotator	$6,230	$6,315	$7,100	$7,240
with Hydraulic Rotator	$6,535	$6,620	$7,405	$7,545
with Electric Rotator	$7,390	$7,475	$8,260	$8,400

See option details on page 5

FEATURES

- 5 blade impeller
- 7 year limited warranty
- High tensile steel flighting
- Standard manual chute deflector
- Multi-hinged deflector (SB68P/T – SB97P/T)









SB78 P/T	SB87 P/T	SB97 P/T
50 HP	60 HP	60 HP
78”	87”	97”
Bolt On (½ x 4)	Bolt On (½ x 4)	Bolt On (½ x 4)
15”	19”	19”
23”	27”	27”
10”	12”	12”
Man. Hyd. Elec. Opt.	Man. Hyd. Elec. Opt.	Man. Hyd. Elec. Opt.
Manual Std./Opt. 8” cyl.	Manual Std./Opt. 8” cyl.	Manual Std./Opt. 8” cyl.
Std.	Std.	Std.
28”	32-½”	32-½”
Cat. 1 & 2	Cat. 2	Cat. 2
900	1,175	1,225
3 ½” OD	3 ½” OD	3 ½” OD
¼ x 2 ¼	5/16 x 2 ¼	5/16 x 2 ¼
# 60 Heavy	# 60 Heavy	# 60 Heavy
8”	10”	10”
5	5	5
1 ¼”	1 ¼”	1 ¼”
40mm	40mm	40mm
$8,165	$10,485	$10,875
$8,380	$10,700	$11,090
$8,685	$11,005	$11,395
N/A	N/A	N/A

OPTIONS

- Hydraulic, manual and electric chute rotators
- Hydraulic chute deflectors

See option details on page 5

TIVAR WEAR PARTS

TIVAR is a wear resistant plastic that replaces steel cutting edges and bolts onto the skid shoes.
Optional on Pull Type models, TIVAR is gentler when clearing, ideal for interlocking brick and decorative stone.



Skid Shoe



Cutting Edge

Part #	TIVAR Kit	List Price
SB54PTTK	Cutting Edge & Skid Shoes	$585
SB60PTTK	Cutting Edge & Skid Shoes	$645
SB68PTTK	Cutting Edge & Skid Shoes	$735
SB72PTTK	Cutting Edge & Skid Shoes	$835
SB78PTTK	Cutting Edge & Skid Shoes	$835
SB87PTTK	Cutting Edge & Skid Shoes	$855
SB97PTTK	Cutting Edge & Skid Shoes	$895

See applicable setup fees on page 60



COMMERCIAL SNOWBLOWERS

The MK Martin 4000 series commercial snowblower is designed for municipalities and contractors. Designed for tractors between 150 and 250 horsepower, and with a clearing path of up to 120 inches, the MK Martin 4000 Series snowblower moves more snow with every pass - easily clearing deep drifts and hard-packed piles.

SCAN QR CODE
SEE MORE ONLINE



FEATURES

- 6 blade fan
- Twin auger chain drive
- 13" Diameter Chute
- Hydraulic chute & multi-hinged deflector
- Chain is fully enclosed in oil bath
- Heat treated cutting edge
- Shear bolt protection
- Dual augers with ribbon flighting
- Adjustable skid shoes



TWIN AUGER CHAIN DRIVE



SHEAR BOLT PROTECTION



6 BLADE FAN



OIL CHAIN BATH





Models	SBR4097	SBR4108	SBR4120
HP (Rec.)	150-250	150-250	150-250
Cutting Width	97”	108”	120”
Main Body Height	47”	47”	47”
Mount	CAT. 2 & 3	CAT. 2 & 3	CAT. 2 & 3
Impeller (Fan)	36” - 3/8” HD 450 Steel	36” - 3/8” HD 450 Steel	36” - 3/8” HD 450 Steel
Impeller Depth	12”	12”	12”
Impeller Output Shaft	2-1/2”	2-1/2”	2-1/2”
PTO Drive (RPM)	1,000	1,000	1,000
Stages	2	2	2
Rotor	Ribbon Flighting (Flight Notching Available)	Ribbon Flighting (Flight Notching Available)	Ribbon Flighting (Flight Notching Available)
Rotor (Tube)	4-1/2” OD Heavy Wall	4-1/2” OD Heavy Wall	4-1/2” OD Heavy Wall
Rotor (Flighting)	1/2” x 3” (Bottom) 5/16” x 2-1/4” (Top)	1/2” x 3” (Bottom) 5/16” x 2-1/4” (Top)	1/2” x 3” (Bottom) 5/16” x 2-1/4” (Top)
Rotor (Diameter)	23” (Bottom) 15” (Top)	23” (Bottom) 15” (Top)	23” (Bottom) 15” (Top)
Rotor (Drive Shaft)	1-3/4”	1-3/4”	1-3/4”
Roller Chain	#100	#100	#100
Cutting Edge	3/4” x 6” Bolt on Cutting Edge	3/4” x 6” Bolt on Cutting Edge	3/4” x 6” Bolt on Cutting Edge
End Plates	3/8” HD 450 Steel x 48” High	3/8” HD 450 Steel x 48” High	3/8” HD 450 Steel x 48” High
Deflector Stages	2	2	2
Chute Deflector	Hydraulic	Hydraulic	Hydraulic
Weight (LBS.)	3,230	3,350	3,485
List Price	**$26,655**	**$28,150**	**$29,760**
RH Models*	**SBR4097RH**	**SBR4108RH**	**SBR4120RH**
Rotating Housing	Standard	Standard	Standard
Weight (LBS.)	3,490	3,610	3,745
List Price	**$30,855**	**$33,010**	**$34,115**

** RH models have the same specs as the corresponding models above, however they include a rotating fan housing.*

OPTIONS



ROTATING FAN HOUSING / SIDE DISCHARGE

See option details on page 5



TRUCK LOADING CHUTE

Part #	List Price
SB120TLC	$6,245



BANK CUTTERS

Part #	List Price
56414	$965



4000 CHUTE WITH HYDRAULIC MULTI HINGE DEFLECTOR

Part #	List Price
36997	$1,420

See applicable setup fees on page 60

7 YEAR WARRANTY





SKIDSTEER SNOWBLOWERS

Rural property owners and contractors alike can now tackle deep snow fearlessly thanks to MK Martin's Hydraulic Skidsteer Snowblower with its exclusive five-blade fan designed for consistent processing without bogging down. Each model is sized with a 24-inch or 26-inch diameter fan that produces greater torque at the blade's tip.

SCAN QR CODE
SEE MORE ONLINE

62"-96"
CUTTING WIDTH







Models	SSB62	SSB66	SSB76
Cutting Edge (Bolt-On)	½ x 4	½ x 4	½ x 4
Cutting Width	62"	66"	76"
Auger Tube	3 ½" Round	3 ½" Round	3 ½" Round
Auger Flighting	5/16 x 2 ¼	5/16 x 2 ¼	5/16 x 2 ¼
Auger Diam.	19"	19"	19"
GPM (min)	14	14	14
Mounting	Universal Skidsteer Attach	Universal Skidsteer Attach	Universal Skidsteer Attach
Chute Rotation	Hydraulic	Hydraulic	Hydraulic
Chute Diam.	10"	10"	10"
Main Body Height	27 ½"	27 ½"	27 ½"
Chute Deflector	Manual Std/Hydraulic Opt	Manual Std/Hydraulic Opt	Manual Std/Hydraulic Opt
Fan Diam.	24"	24"	24"
Fan Depth	8"	8"	8"
Weight (LBS.)	910	928	970
List Price	SSB62HYD-A $10,725	SSB66HYD-A $10,855	SSB76HYD-A $11,290
	SSB62HYD-B $10,725	SSB66HYD-B $10,855	SSB76HYD-B $11,290
	SSB62HYD-B+ $10,725	SSB66HYD-B+ $10,855	SSB76HYD-B+ $11,290
		SSB66HYD-C $12,385	SSB76HYD-C $12,685
		SSB66HYD-C+ $12,385	SSB76HYD-C+ $12,685
			SSB76HYD-D $13,380

See option details on page 5

FEATURES

- Adjustable blower fan tolerance for increased performance
- Auger has new teeth
- Curved exit chute for a more direct stream
- 5 blade impeller
- Direct fan drive mounted
- Up To 4439 ft/min fan tip speed
- Pivoting hitch plate
- Hitch plate height adjustable
- Solid side plate construction for added strength and rigidity
- Offset chute for better operator vision
- Hydraulic line check valve allows overrun and prevents reverse rotation
- Solenoid valve feature allows for use of hydraulic rotator motor and hydraulic deflector
- Fan housing is made with AR400 steel





SSB86	SSB96
½ x 4	½ x 4
86"	96"
3 ½" Round	3 ½" Round
5/16 x 2 ¼	5/16 x 2 ¼
19"	19"
23	33
Universal Skidsteer Attach	Universal Skidsteer Attach
Hydraulic	Hydraulic
10"	10"
27 ½"	27 ½"
Manual Std/Hydraulic Opt	Manual Std/Hydraulic Opt
26"	26"
8"	8"
1000	1,085
SSB86HYD-C $12,985	SSB96HYD-D $14,135
SSB86HYD-C+ $12,985	
SSB86HYD-D $13,730	

OPTIONS

- Available with ALO or JD mount
- Hydraulic chute deflector
- Optional wiring kit adapters for skid loader control integration
- Optional multi-hinged deflector
- Optional poly edge for skid shoes

See option details on page 5

Flow Rates	HP*	Code
14-17 GPM	22	A
18-20 GPM	27	B
20-22 GPM	30	B+
23-26 GPM	35	C
27-33 GPM	43	C+
33-40 GPM	52	D

*HP calculated at 2500 PSI

Code "D" high flow package is recommended on the SSB96.

HYDRAULIC DEFLECTOR KIT

Part #	Description	List Price
SSB75HD	Hydraulic Deflector Kit	$445

WIRING KITS

Optional Wiring Kits	Description	List Price
SSBEWK 7-Bobcat	7 Pin Wire Kit	$1,775
SSBEK 8Cat	8 pin wire kit	$350
SSBEK 8 Terrex	8 Pin Wire Kit	$350
SSBEK 14Gehl/Case/ NH/JCB/Volvo	14 Pin Wire Kit	$350
SSBEK 14JD	14 Pin Wire Kit	$350
SSBEWK-KU/Kubota/ Wacker Neuson	14 Pin Wire Kit	$350

**Wacker Neuson standard & high flow*

See applicable setup fees on page 60

7 YEAR WARRANTY



LOADER MOUNT & POWER PACK

The loader mount snowblower is the ideal snow blower package for owners of small tractors equipped with loader arms. The package includes a front loader mounted hydraulic powered snowblower and a self-contained PTO-driven power pack to drive the hydraulics required by the snow blower.

SCAN QR CODE
SEE MORE ONLINE

FEATURES

- 3PH Mount PTO
- 30 Gal. Capacity
- 2,500 PSI at 30 Gallons per Minute
- SBLMPP-30 can be run for up to 2-hours before cool down is required





Models	SBLMPP-30	SBLMPPCS-30
Recommended HP	40-60HP	40-60HP
Capacity (gallons)	30	30
Flow Rate (PSI)	30 GPM/2500 PSI	30 GPM/2500 PSI
Mount	3PH	3PH
Weight	535 LBS.	575 LBS.
Height	48”	48”
Width	39”	39”
Depth	30”	32”
Max Operating Temp. (°C)	2° C	30° C
Max Operating Time (hours)	2 Hour Duty Cycle	Full Duty Cycle
Cooling System Included	No	Yes
List Price	$10,165	$13,955

*Power packs can be purchased on their own, or paired with a hydraulic snowblower.



BOBCAT/STEINER/VENTRAC

A belt-driven snowblower specifically designed to mount directly to your Bobcat, Ventrac or Steiner articulating tractors. Equipped with hydraulic chute rotation, it provides a smooth blowing experience, ensuring efficient snow removal ideal for rural driveways and smaller commercial yards. These snowblowers are available in either a 48 inch or 54 inch clearing path.

SCAN QR CODE
SEE MORE ONLINE





Models	SBVEN48	SBVEN54
Cutting width	48"	54"
Cutting Edge	3/8 x 1"	3/8 x 1"
Auger Diam.	14"	14"
Fan Diam.	21"	21"
Chute Diam.	8"	8"
Chute Rotation	Hyd.	Hyd.
Chute Deflector	Manual	Manual
Body Height	25"	25"
Drive	Belt drive	Belt drive
Mount	Bobcat/Ventrac/Steiner	Bobcat/Ventrac/Steiner
Weight (LBS.)	475	488
List Price	$6,655	$6,700

See option details on page 5

FEATURES

- Designed to fit Bobcat, Ventrac and Steiner articulating tractors
- Hydraulic chute rotation for smooth blowing
- Ideal for rural driveways and smaller commercial yards
- Compatible with:

Bobcat
VENTRAC
STEINER



SELF-POWERED SNOW THROWERS

The MK Martin Self-Powered Snow Thrower—the all-in-one snow thrower that mounts on skidsteers, telehandlers, compact tractors and the mini-loaders. Featuring a Briggs & Stratton gasoline engine directly powering the thrower, this unit is simple to operate and clears snow up to 12-inches deep.

SCAN QR CODE
SEE MORE ONLINE



FEATURES

- 1.25" x 3.5" Bolt-on cutting edge
- 7 year limited warranty
- Manual deflector
- Dual v-belt system



14HP
BRIGGS & STRATTON GAS ENGINE



WIRED REMOTE

The wired controller allows for remote starting and stopping of the rotor.
Oversized buttons allows operators to make quick and accurate adjustments of the chute rotation.



CHAIN DRIVE

Roller chain connects the final drive between the intermediate shaft and the rotor.



SKID SHOES

Welding skid shoes extend the life of the cutting edge and help to protect surfaces from damage commonly associated with snow removal.

54"-60"
CUTTING WIDTH





Model	SBRS1054E	SBRS1060E
Motor Type	Vanguard 14HP	Vanguard 14HP
Electric Start	12 Volt	12 Volt
Clutch	Electric (start/stop blower)	Electric (start/stop blower)
Rotor	16" @ 750 RPM	16" @ 750 RPM
Hood Rotator	Electric	Electric
Hood Deflector	Manual	Manual
Cutting Edge	Bolt on ¼" x 3-½"	Bolt on ¼" x 3-½"
Overall Width	54"	60"
Overall Depth	36"	36"
Main Body Height	22.75"	22.75"
Weight	470 lbs.	545 lb.
List Price	$9,695	$10,250

Part #	Description
SBR1000JDMount	JD Mount Option

See applicable setup fees on page 60

7 YEAR WARRANTY



PTO ROTARY CUTTERS

The PTO powered series of rotary cutters provide excellent mowing and shredding performance for tractors rated between 20-50 HP. The 3PH mount models are available in a variety of cutting widths providing a cutting path from 48" - 72".

SCAN QR CODE
SEE MORE ONLINE

48"-72" CUTTING PATH






Model	PRC48	PRC54	PRC60	PRC66
Shipping Weight (LBS.)	380	430	500	560
Cutting Height	2" - 10"	2" - 10"	2" - 10"	2" - 10"
Cutting Path	48"	54"	60"	66"
Tip Speed (Ft/Min)	13100	14725	12462	13708
Wheels	16" (Segmented)	16" (Segmented)	16" (Segmented)	16" (Segmented)
Blades	½" x 3"	½" x 3"	½" x 3"	½" x 3"
Tractor HP (min)	20	22	30	40
PTO RPM	540	540	540	540
Gearbox Rating	40	40	60*	60*
Protection (Std./Opt.)	Shear Pin / Slip Clutch	Shear Pin / Slip Clutch	Shear Pin / Slip Clutch	Shear Pin / Slip Clutch
List Price (Shear Pin)	PRC48 $2,540	PRC54 $2,575	PRC60 $2,665	PRC66 $2,995
List Price (Slip Clutch)	PRC48SC $2,795	PRC54SC $2,830	PRC60SC $2,870	PRC66SC $3,255



FEATURES

- Maximum brush diameter 1”
- 7 year limited warranty
- Cat. 1 3PH Mount
- 1" Max Brush Diameter
- Adjustable cutting height 2” – 10”
- Floating top link maintains cutting height
- Solid segmented wheels for no flat running
- 2 blade design
- Deck protection ring
- Fixed skid shoe
- Stump Jumper
- 12 ga Steel Deck





PRC72	PRC72HD
625	635
2” - 10”	2” - 10”
72”	72”
14955	14955
16” (Segmented)	16” (Segmented)
½” x 3”	½” x 3”
50	50
540	540
60*	75*
Shear Pin / Slip Clutch	Slip Clutch (Std.)
PRC72 $3,495	
PRC72SC $3,745	PRC72HD $3,955

OPTIONS



CHAIN GUARDS

Part # (Chain)	List Price
PRC48CHAIN16	$425
PRC54CHAIN	$445
PRC60CHAIN16	$535
PRC66CHAIN16	$605
PRC72CHAIN16	$695

Includes both front and back chains.



RUBBER GUARD KIT

Part #	Description	List Price
RC48RB	Rubber Guard option for 48" PRC/MKRC	$106
RC54RB	Rubber Guard option for 54" PRC/MKRC	$108
RC60RB	Rubber Guard option for 60" PRC/MKRC	$110
RC66RB	Rubber Guard option for 66" PRC/MKRC	$112
RC72RB	Rubber Guard option for 72" PRC/MKRC	$114



SLIP CLUTCH

Part #	Description	List Price
PRCSC	Optional Light Duty Slip Clutch	$460

See applicable setup fees on page 60

7 YEAR WARRANTY



PTO ROTARY CUTTERS - 700 SERIES

With a 7-inch deep mowing deck, the MK 700 Series carves its way through tall grass, thick weeds and dense underbrush effortlessly. It will even cut down 2-inch diameter trees. The crafted solid steel mowing deck of the 700 series provides a strong platform that's built to last, featuring quality components and a three-point hitch mount with floating top-link for contoured cutting.

SCAN QR CODE
SEE MORE ONLINE

48"-84"
CUTTING PATH






Model	MKRC748	MKRC760	MKRC766	MKRC772
Cut Path	48"	60"	66"	72"
Weight (LBS.)	420	535	605	640
Cutting Height	1.5" - 13" / 10 Positions	1.5" - 13" / 10 Positions	1.5" - 13" / 10 Positions	1.5" - 13" / 10 Positions
Tip Speed (Ft/Min)	13100	12462	13708	14955
Wheels	16" Segmented	16" Segmented	16" Segmented	16" Segmented
Blades	½" x 3"	½" x 3"	½" x 3"	½" x 3"
Tractor HP (min)	22	30	40	50
PTO RPM	540 RPM	540 RPM	540 RPM	540 RPM
Gearbox Rating *	40	60	60	60
Deck Height	7"	7"	7"	7"
Skirt Thickness	3/16"	3/16"	3/16"	3/16"
Protection	Shear Pin	Shear Pin	Shear Pin	Shear Pin
List Price (Shear Pin)	MKRC748 $2,910	MKRC760 $3,105	MKRC766 $3,445	MKRC772 $3,890
List Price (Slip Clutch)	MKRC748SC $3,120	MKRC760SC $3,395	MKRC766SC $3,740	MKRC772SC $4,190

** Based on field performance*





FIXED SKID SHOES



FLOATING TOP LINK



2 BLADE DESIGN



1.5" - 13" CUT HEIGHT



SEGMENTED WHEEL



STUMP JUMPER

FEATURES

- 7" deck height
- Maximum brush diameter 2”
- 7 year limited warranty
- Cat. 1 Quick Hitch Compatible
- Standard front and rear rubber guards
- Deck protection ring
- 10 ga Steel Deck

HD MODELS





	MKRC772HD	MKRC784HD
	72”	84”
	730	840
	1.5” - 13” / 10 Positions	1.5” - 13” / 10 Positions
	15260	17803
	16” Segmented	16” Segmented X2
	½” x 3”	½” x 3”
	50	60
	540 RPM	540 RPM
	75	75
	7”	7”
	3/16”	3/16”
	Slip Clutch	Slip Clutch
	N/A	N/A
	$4,310	$6,095

OPTIONS



CHAIN GUARD

Part # (Chain)	List Price
PRC48CHAIN16	$425
PRC60CHAIN16	$535
PRC66CHAIN16	$605
PRC72CHAIN16	$695
PRC84CHAIN16	$785

Includes both front and back chains.

SLIP CLUTCH



Part #	Description	List Price
PRCSC	Optional Light Duty Slip Clutch	$460

See applicable setup fees on page 60

7 YEAR WARRANTY



PTO ROTARY CUTTERS - PLUS

MK Martin's Plus series of PTO powered rotary cutters provide increased cutting and shredding performance. Available in 60"-120" sizes, the redesigned stump jumper on the Plus is equipped with 3 blades increasing cutter efficiency and productivity. The slip clutch keeps this cutter moving throughout the work day.

SCAN QR CODE
SEE MORE ONLINE

60"-120" CUTTING PATH









Model	PRCPLUS60	PRCPLUS72	PRCPLUS84	PRCPLUS96
Shipping Weight (LBS.)	595	775	1045	1530
Hitch Type	Cat. 1 & 2 Quick Tach compatible	Cat. 1 & 2 Quick Tach compatible	Cat. 1 & 2 Quick Tach compatible	Cat. 1 & 2 Quick Tach compatible
Cutting Height	2" - 10"	2" - 10"	2" - 10"	2" - 10"
Cutting Path	60"	72"	84"	96"
Tip Speed (Ft/Min)	12,462	15,260	17,803	16,500
Wheel Type (Qty.)	16" Segmented (1)	16" Segmented (1)	16" Segmented (2)	16" Segmented (2)
Blades	3 - ½" x 3"	3 - ½" x 3"	3 - ½" x 3"	3 - ½" x 3"
Tractor HP (min)	30-40	60	60	80
PTO RPM	540	540	540	540
Gearbox Rating *	75 HP	75 HP	90 HP	100 HP
Deck	3/16"	3/16"	3/16"	3/16"
Protection	Slip Clutch	Slip Clutch	Slip Clutch	Slip Clutch
List Price	$4,195	$5,165	$7,485	$11,180

** Based on field performance*



FEATURES

- Maximum brush diameter 3”
- 7 year limited warranty
- Cat. 1 & Cat. 2 3PH
- Draw bar hitch (PRCPLUS120)
- Adjustable cutting height 2” – 10”
- Floating top link maintains cutting height
- Solid segmented wheels (PRCPLUS60 - PRCPLUS96 & PRCPLUS120-3PH)
- Pneumatic wheels (PRCPLUS120)
- 3 blade design with stump jumper
- Standard front and rear rubber guards (PRCPLUS60-PRCPLUS96)
- Deck protection ring
- Slip clutch to protect the drive line
- Bolt on skid shoes





PRCPLUS120-3PH	PRCPLUS120
2045	2320
Cat. 2	Draw Bar Hitch
2” - 10”	2” - 10”
120”	120”
14,500	14,500
16” Segmented (2)	16” Pneumatic (2)
6 - ½” x 4”	6 - ½” x 4”
80	80
540	540
120 HP	120 HP
9GA	9GA
Slip Clutch	Slip Clutch
$15,885	$18,820

OPTIONS



CHAIN GUARDS

Part # (Chain)	List Price
PRC60CHAIN16	$535
PRC72CHAIN16	$695
PRC84CHAIN16	$785
PRC96CHAIN16	$935
PRC120CHAIN	$1,085

Includes both front and back chains.



DRAW BAR KIT

For 84" & 96" models.

Allows you to run the rotary cutter's PTO with less weight on smaller tractors.

Part # (Chain)	List Price
PRCDB84-96	$2,950

See applicable setup fees on page 60



PTO ROTARY CUTTERS - WING

The MK rotary cutter wing is available in a 15' dual wing model. The three blade assemblies make short work of stubble whether in the pasture, field, or brush. Each wing can independently float 20° in either direction to conform to the contours of the ground. The 15' width of the cutter can be greatly reduced by folding up both hydraulic wings to better transport from one field to another, and to store the cutter.

SCAN QR CODE
SEE MORE ONLINE



Model	PW180
Shipping Weight (LBS.)	4,400
Hitch	Draw Bar Hitch
Cutting Height	3"-15"
Cutting Path	180"
Overall Width (Wings Down)	184"
Folded Width (Wings Up)	78"
Tip Speed (Ft/Min)	15,100 ft/min on Wings 14,850 ft/min on center
Wheels (Pneumatic)	21"
Blades	9 blades ½"x4"
Tractor HP (min)	75HP
PTO RPM	540
Gearbox Rating (Wing)	140 HP
Gearbox Rating (Center)	105 HP
Gearbox Rating (Divider)	87 HP
Deck	3/16"
Protection	Independent Slip Clutch on Each Spindle
Wing Float Range(degrees)	20 down and 33 up

FEATURES

- Maximum brush diameter 3"
- 15' dual wing rotary cutter
- 4 heavy duty gearboxes, each covered with 7 year limited warranty
- Transport lock for each wing
- 1.5" diameter cutting capacity
- Each wing can float to conform to ground contours
- Stump jumpers



STRAIGHT AXLE MODEL



WALKING TANDEM AXLE MODEL

Model	Description	List Price
PW180SP	Straight Axle with 6 Pneumatic Tires	$41,525
PW180SS	Straight Axle with 6 Solid Tires	$43,045
PW180TP	Walking Tandem Axle with 8 Pneumatic Tires	$43,015
PW180TS	Walking Tandem Axle with 8 Solid Tires	$45,495



SKIDSTEER ROTARY CUTTERS

Designed for mowing fields and light brush up to 2" in diameter, hydraulic models are the ideal cutting attachments for skid loaders. The hydraulic motor is matched to the flow of the skid loader to provide optimal performance. Coupled directly to the hydraulic motor, the drive spindle is supported by two bearings allowing the power to be transferred directly to the blade assembly without the need for a gear box.

SCAN QR CODE
SEE MORE ONLINE





*Shown with optional gauge wheel

Model	PRCH60	PRCH72
Cutting Path	60"	72"
Brush Diameter	2"	2"
Deck Thickness	3/16"	3/16"
Weight (LBS.)	760	860

Model	List Price
PRCH60-A	$7,675
PRCH60-B	$7,675
PRCH60-B+	$7,675
PRCH72-A	$7,975
PRCH72-B	$7,975
PRCH72-B+	$7,975
PRCH72-C	$8,605
PRCH72-C+	$8,605
PRCH72-D	$9,045

Flow Rates	Pack. Codes
14-17 GPM	A
18-20 GPM	B
20-22 GPM	B+
23-26 GPM	C
27-33 GPM	C+
33-40 GPM	D



To ensure optimum performance, hydraulic output must match motor package.

FEATURES

- Maximum brush diameter 2"
- 3 blade cutting assembly
- Integrated push bar
- Relief valve for protection
- Chain curtain
- Floating linkage allows the cutter to follow ground contour
- Deck protection ring

OPTIONS



BOLT-ON GAUGE WHEEL

- 16" segmented wheel
- 2"-9" wheel adjustment /5 holes

Part #	List Price
PRCH-WK	$590

See applicable setup fees on page 60

7 YEAR WARRANTY



EXTREME DUTY BRUSH CUTTERS

When a powerful solution is required to clear dense brush, woody vegetation, and trees up to 10 inches in diameter, take a spin with the MK Martin Extreme Duty Brush Cutter for skidsteers. Rural property owners and contractors alike can now tackle property maintenance with this rugged and durable brush cutter for selective tree clearing and maintaining unruly vegetation across fields, forests and trails.

SCAN QR CODE
SEE MORE ONLINE

FEATURES

- 78” Cutter - Skid Steer attachment
- 86.5” Machine Width
- 10” cut capacity
- Radial Piston Motor (4 pkgs up to 40GPM)
  - Recommend 20+GPM
  - Higher Torque capability at low speeds
  - Up to 4000 psi operating pressure
- Heavy duty 1” cutting bar; 4 cutting blades
  - Optional bolt-on inserts
- Tip speed of 20,000 ft/min
- 1/4” deck thickness
- Replaceable skid shoes
- 2200 LBS approximate weight
- Reversible push bar (trees/brush/grass)
- 7 year limited consumer warranty
- 1 year limited commercial warranty



*Requires case drain hose

78" CUTTING PATH
10" BRUSH DIAMETER



Model	BCH78XD
Description	78" Brush Cutter
Machine Width	86.5"
Cutting Path	78"
Max Brush Diameter	10"
Radial Piston Motor	4 pkgs up to 40GPM
Recommended GPM	20+GPM
Torque	Higher Torque capability at low speeds
Operating Pressure	Up to 4000 psi
Blades	4 blades
Heavy Duty Cutting Bar	1"
Tip Speed	20,000 ft/min
Deck Thickness	¼"
Shipping Weight (LBS.)	2,200
List Price	$19,530



HEAVY DUTY 1" THICK ROTOR

78" diameter oversized rotor is manufactured using a 1" thick steel plate.



4 REPLACEABLE FLAIL KNIVES

Mounted on the rotor are 4 replaceable pivoting flail knives designed to deliver maximum centrifugal velocity and shear force on every rotation.

(A)



(B)



REVERSIBLE FRONT PUSH BAR

One side (A) has aggressive teeth for accurate pushing and directional control of larger trees. The reverse side (B) is smooth, intended for flattening dense underbrush.

OPTIONS

- Bolt-On Mulching Knives
- Carbide Chipper Knives



BOLT-ON MULCHING KNIVES

Bolt-on mulching knives go on the bottom of the rotor to effortlessly mulch through stumps and logs.

Part #	List Price
BCH78XD-BK - BOLT ON MULCHING KNIFE KIT	$905



CARBIDE CHIPPER KNIVES

Another option for mulching stumps and logs are the optional carbide tipped mulching knives.

Part #	List Price
BCH78XD-MK - CARBIDE TIP CHIPPER KNIFE KIT	$680

MOTOR OPTIONS

Part #
A - 14-20GPM
B - 20-26 GPM
C - 26-33 GPM
D - 33-40 GPM

See applicable setup fees on page 60

7 YEAR WARRANTY



FINISHING MOWERS

Designed to connect to your tractor's category 1 three-point hitch, the MK finishing mower is available in four sizes with cutting paths ranging from 48 inches to 90 inches wide. Each model features three to five high-speed blades that slice through grass with precision, ensuring no grass is left behind.

SCAN QR CODE
SEE MORE ONLINE





48"-90"
CUTTING WIDTH

Model	PFM48RD	PFM60RD
Cutting Width	48"	60"
Overall Width	50"	62"
Weight (LBS.)	370	435
Acres/Hr@5 MPH	2.43	3.03
HP Required	14 - 20	20 - 25
3PH Mount	Cat. 1	Cat. 1
RPM @ PTO Shaft	540	540
Number of Blades	3	3
Tip Speed (Ft/Min)	15,660	18,000
Wheels	Solid Rubber Wheel	Solid Rubber Wheel
Deck Thickness	10 GA	10 GA
Cutting Height	2" - 5"	2" - 5"
List Price	$4,435	$4,935



TAPER LOCK PULLEY

Transferring power from the gearbox to the blades are two heavy-duty drive belts running on slip-free taper lock pulleys.

The taper lock pulley's high grip design prevents slippage under high torque. The tight compression around the shaft helps reduce wear and vibration, extending the life of the belts and bearings.



3 BLADE ASSEMBLY

*** PFM90RD has 5 blades**



ADJUSTABLE HEIGHT



REAR DISCHARGE SHIELD



FLOATING TOP LINK



ANTI-SCALP ROLLERS



4 SOLID RUBBER WHEELS





PFM72RD	PFM90RD
72”	90”
74”	93”
525	714
3.63	4.57
25 - 30	30 - 40
Cat. 1	Cat. 1
540	540
3	5
16,850	16,288
Solid Rubber Wheel	Solid Rubber Wheel
3/16”	3/16”
2” - 5”	2” - 5”
$5,355	$6,580

See applicable setup fees on page 60

7 YEAR WARRANTY



LAWN SWEEPER

Whether you're clearing leaves, grass clippings, or small twigs, the MK Martin Lawn Sweeper is built to keep your rural property looking pristine, all season long. Powered by a 6.5 horsepower Vanguard engine, the MK lawn sweeper connects behind your ATV, lawn tractor, or compact tractor using a height adjustable clevis hitch.

SCAN QR CODE
SEE MORE ONLINE



Model	MKLS1846
Sweeping Width	46”
Overall Width	65”
Length	95”
Motor (HP)	6.5 HP Vanguard Engine
Brush Diameter	19”
Drive System	Belt Drive - Fully Engaged so the brush turns all the time
Broom Lift	12V Electric
Hopper Capacity	21 Cu.Ft.
Wheels	12" x 3.5" Flat-free tires
Weight (LBS.)	515
List Price	$5,795

FEATURES

- Electrically controlled poly broom with remote
- Leaf bucket with pivot for easy emptying
- Replaceable durable mesh netting
- Flat-free tires
- 6.5 HP Vanguard engine



HEIGHT ADJUSTMENT

Height Adjustment is controlled with a switch box with a magnetic base for easy mounting to your tow unit.

OPTIONS





ELECTRIC DUMP

Simply back up to your compost pile and dump your load using electronic controls.

Part #	List Price
MKLSEDL	$950



ROTARY SWEEPERS

When it's time for spring cleaning or job site cleanup, get the work done quickly with MK Martin's rotary sweepers. Ideal for cleaning farm yards, job sites, parking lots or residential streets, MK Martin's rotary sweepers give you heavy duty cleanup power in a compact design.

SCAN QR CODE
SEE MORE ONLINE

60" SWEEPING WIDTH





Model	MKCS1960H - Hydraulic Drive	MKCS1960 - Gas Engine
Motor	8-12 GPM	6.5 HP Vanguard Engine
Sweeping Width	60"	60"
Overall Width	64 ½"	64 ½"
Brush Diameter	19"	19"
Drive System	Belt Drive - Fully engaged so the brush turns all the time	Belt Drive - Fully engaged so the brush turns all the time
Lateral Swivel	3°	3°
Sweeping Angle	30° on each side	30° on each side
Angling Options	Manual (std), Hydraulic (optional), Electrical Actuator(optional)	
Sweep Length @ 30°	54 ¼"	54 ¼"
Wheels	6" x 2" Caster Wheels	6" x 2" Caster Wheels
Weight	455 lbs. approx.	455 lbs. approx.
Mounting Options	SS Quick Attach (Standard), JD Loader Mount, ALO Quick Attach, TORO-DINGO Plate (Available)	
List Price	$5,350	$6,015

FEATURES

- Engine powered and hydraulic powered options
- Skidsteer and loader mounting options
- 60" sweeping width
- 30° sweeping angle
- Hydraulic and electric angling options
- 7 Year consumer warranty

OPTIONS

Part #	Description	List Price
62799	Hydraulic Angling	$415
62800	Electric Angling	$1,150

MOUNT OPTIONS

Part #	Description	List Price
55410	Standard Skidsteer Plate	$370
55420	ALO/Euro Mount	$695
56020	JD 440/550 Q-tach	$870
56483	Avant Mount	$370
56488	Toro/Dingo Mount	$370

See applicable setup fees on page 60

7 YEAR WARRANTY



BOX BLADES

The 3PH Box Blade by MK Martin provides the small and large property owner with affordable options for grading with their line of Box Blades. Complete with steel cutting edges, height adjustable shanks, and a bolt-on 3PH design these Box Blades really deliver. The MK Box Blade features two steel cutting edges, one located on the inside of the box and one on the outside.

SCAN QR CODE
SEE MORE ONLINE

FEATURES

- Reversible hardened steel cutting edges
- 2 cutting edges allow you push or pull material
- Bolt-on 3PH design
- Quick hitch compatible



HEIGHT ADJUSTABLE SHANKS



REPLACEABLE SCARIFIER TIPS

OPTIONS NEW



BOLT-ON SKID SHOES

Part #	List Price
35271	$94.09

4'-8' WIDTH







Model	BB448STD	BB454STD	BB560STD	BB566HD	BB672HD	BB784HD	BB784DLX	BB896DLX
Width	4'	4'6"	5'	5'6"	6'	7'	7'	8'
Shanks	4	4	4	4	5	6	6	7
Mouldboard	3/16"	3/16"	3/16"	3/16"	3/16"	3/16"	¼"	¼"
End Plates	¼"	¼"	¼"	¼"	¼"	¼"	¼"	¼"
3PH Mount	Cat. 1	Cat. 1	Cat. 1	Cat. 1	Cat. 1	Cat. 1	Cat. 2	Cat. 2
Max HP	35 HP	35 HP	35 HP	45 HP	45 HP	45 HP	75 HP	75 HP
Weight (LBS.)	308	340	348	415	450	500	555	612
List Price	$1,525	$1,655	$1,780	$1,875	$1,995	$2,225	$2,430	$2,635



LAND PLANES

Designed to revive your laneway or gravel lots, the Land Plane provides acreage owners with a single tool to tear up hardpack, fill potholes, and grade for a smooth desirable finish. One hydraulic cylinder powers the scarifier bar deep below the surface loosening the hard pan and pulling the material to the surface where it can be redistributed.

SCAN QR CODE
SEE MORE ONLINE

FEATURES

- Two ½" x 6" reversible cutting edges
- 3/8" x 2 reversible skid shoes
- Cutting edges are adjustable in 1" increments for optimal performance
- Hydraulically adjustable scarifier bar
- Grader quality shanks with replaceable tips
- Order mount separately (3PH or skidsteer adapter)
- AR400 abrasion-resistant skid shoes

72'-96' WORKING WIDTH







Model	MKLP678	MKLP778	MKLP878
Working Width	72"	84"	96"
Overall Width	77"	89"	101"
Length	69.5"	69.5"	69.5"
Shank (Qty.)	6	6	8
Shank Tube	4" x 6" x ¼"	4" x 6" x ¼"	4" x 6" x ¼"
Cutting Edge (x2)	Hardened ½" - Reversible 1" Adjustments	Hardened ½" - Reversible 1" Adjustments	Hardened ½" - Reversible 1" Adjustments
Skid Shoes	3/8" x 2 Reversible	3/8" x 2 Reversible	3/8" x 2 Reversible
Cylinder	Hydraulic cylinder for shank rotation	Hydraulic cylinder for shank rotation	Hydraulic cylinder for shank rotation
Weight (LBS.)	1,140	1,240	1,350
List Price	$5,740	$6,290	$6,695

OPTIONS

- Mount – Select the correct mount for application at time of order

Options	Part #	Weight (LBS.)	List Price
Optional Skidsteer Adapter	MKLPSSMNT	156	$905
Optional 3PH Adapter (Cat. 1 & 2)	MKLP3PTMNT	36	$365

See applicable setup fees on page 60

7 YEAR WARRANTY



GRADER BLADES

The 3PH Grader Blade from MK Martin makes maintaining your driveway and gravel areas easy. Ruggedly built with a reversible cutting edge, these blades are designed for years of service. The manual blades have five stops of angle adjustment including a full turn around, while the Hydraulic Angle blades allow you to control the blade from the comfort of your seat.

SCAN QR CODE
SEE MORE ONLINE

FEATURES

- Five stops of angle adjustment (each forward and back)
- Full turn around
- ½" x 6" reversible cutting edge
- 3/8" mouldboard (98 Series)
- Quick hitch compatible







5'-8' WIDTH

Model	MKGB588	MKGB688	MKGB788	MKGB798	MKGB898
Max. HP	45	45	45	75	75
Width	5'	6'	7'	7'	8'
Mouldboard	3/16"	¼"	¼"	3/8"	3/8"
Mouldboard Height	15"	15"	15"	15"	15"
Center Pin	2"	2"	2"	3"	3"
Max angle position	45 deg Left/Right	45 deg Left/Right	45 deg Left/Right	45 deg Left/Right	45 deg Left/Right
Width when Angled	42"	50"	59"	72"	82"
3PH Mount	Cat. 1	Cat. 1	Cat. 1	Cat. 2	Cat. 2
Weight (LBS.)	180	200	215	577	616
List Price	$1,475	$1,630	$1,735	$3,090	$3,360

OPTIONS

- Hydraulic Angle

Model	Description	List Price
MKGB88ANG16	Hydraulic Angle - Includes the Hydraulic Cylinder and Hoses	$455
MKGB98ANG	Hydraulic Angle - Includes the Hydraulic Cylinder and Hoses	$455

GRADER BLADES OFFSET TILT

SCAN QR CODE
SEE MORE ONLINE



FEATURES

- 5 Position manual offset adjustment
- 5 Position manual tilt adjustment
- 180° reversible blade
- Bolt-on cutting edge
- Park stand
- 15" Mouldboard height
- 1/4" Thick mouldboard
- Category 1 3-PH

5'-7' WIDTH



Model	MKGB588OT	MKGB688OT	MKGB788OT
HP	30 - 50	30 - 50	30 - 50
Width	60"	72"	84"
Weight (LBS.)	250	258	270
Cutting Edge	3/8 x 6 Reversible	3/8 x 6 Reversible	3/8 x 6 Reversible
Angle (Control)	Manual	Manual	Manual
Angle (Position)	5 Forward / 5 Reversed	5 Forward / 5 Reversed	5 Forward / 5 Reversed
Offset	24" left / 24" right	24" left / 24" right	24" left / 24" right
Max Angle Position	45 deg Left/Right	45 deg Left/Right	45 deg Left/Right
Width When Angled	42"	50"	59"
List Price	$1,615	$1,710	$1,815

GRADER BLADE OPTIONS



HYDRAULIC KIT

Includes hoses, cylinders, bolt-on plates, hardware.

Model	Description	List Price
MKGBOTAng	Angle Kit	$260
MKGBOTTilt	Tilt Kit	$295

RUBBER CUTTING EDGE

These optional rubber cutting edges are ideal for snow removal, reducing damage to driveways.



(Optional on Standard, & Offset Tilt Grader Blades)

Model	Description	List Price
MKGBRCE5	5' Rubber Cutting Edge Kit	$125
MKGBRCE5.5	5.5' Rubber Cutting Edge Kit	$130
MKGBRCE6	6' Rubber Cutting Edge Kit	$145
MKGBRCE7	7' Rubber Cutting Edge Kit	$165
MKGBRCE8	8' Rubber Cutting Edge Kit	$180
MKGBRCE9	9' Rubber Cutting Edge Kit	$200
MKGBRCE10	10' Rubber Cutting Edge Kit	$220

See applicable setup fees on page 60

7 YEAR WARRANTY



XD GRADER BLADES

The Extreme Duty Grader Blade from MK Martin mounts to your tractor's 3-point hitch. Powered by your tractor's hydraulics, the XD series blade has hydraulic cylinders to adjust the offset of the arm, the blade angle, and the tilt of the blade. An additional hydraulic cylinder on the optional wheel kit helps to control the depth.

SCAN QR CODE
SEE MORE ONLINE







100-250 HP

Model	MK8XD-100	MK9XD-100	MK9XD-150
Horse Power (Max.)	100	100	150
3PH Mount	Cat. 2 & 3	Cat. 2 & 3	Cat. 2 & 3
Mouldboard Thickness	5/16”	5/16”	5/16”
Mouldboard Width	96”	108”	108”
Mouldboard Height	20”	20”	20”
Offset Adjustment	27” left or right (hydraulic)	27” left or right (hydraulic)	27” left or right (hydraulic)
Adjustment Angle	32° left or right (hydraulic)	32° left or right (hydraulic)	32° left or right (hydraulic)
Adjustment Tilt	13° blade adjustment (hydraulic)	13° blade adjustment (hydraulic)	13° blade adjustment (hydraulic)
King Pin	3-½”	3-½”	4”
Cutting Edge	High Carbon ½” x 6” (reversible)	High Carbon ½” x 6” (reversible)	High Carbon ½” x 6” (reversible)
Weight (LBS.)	1,572	1,666	1,695
List Price	$9,955	$10,330	$11,680

FEATURES

- Extreme duty grader blade
- Models ranging from 8'-14' wide
- For tractors up to 250 HP
- Hydraulic cylinders control the blade angle, blade tilt and offset of the arm



HYDRAULIC ANGLE



HYDRAULIC TILT



HYDRAULIC OFFSET







MK10XD-150	MK12XD-250	MK14XD-250
150	250	250
Cat. 2 & 3	Cat. 2 & 3	Cat. 2 & 3
5/16”	3/8"	3/8"
120”	144"	168"
20”	20"	20"
27” left or right (hydraulic)	27” left or right (hydraulic)	27” left or right (hydraulic)
32° left or right (hydraulic)	37° left or right (hydraulic)	37° left or right (hydraulic)
13° blade adjustment (hydraulic)	13° blade adjustment (hydraulic)	13° blade adjustment (hydraulic)
4”	5"	5"
High Carbon ½” x 6” (reversible)	High Carbon ½” x 6” (reversible)	High Carbon ½” x 6” (reversible)
1,745	1,925	2,075
$12,040	$13,945	$14,645

OPTIONS



TAIL WHEEL KIT

Part #	Weight	List Price
MKGBXD-TW	310 lbs.	$2,995



BOX END PLATES

Part #	List Price
MKGBXD-EP	$565



SKID SHOE KIT

Part #	List Price
MKGBXD-SK	$315

See applicable setup fees on page 60

7 YEAR WARRANTY



GRADER LEVELERS

This two-in-one combination of leveling and scraping makes short work of your grading jobs. The first blade attacks the high spots cutting themdown to size, while the second blade further scrapes anything the first missed and fills in the hollows. With two blades cutting and filling, it takes much less time and fewer passes to achieve the even distribution of material you are looking for.

SCAN QR CODE
SEE MORE ONLINE

FEATURES

- Two ½" x 6" reversible cutting edges
- 3/8" x 2 reversible skid shoes
- Cutting edges can be manually adjusted to your desired cutting depth for optimal performance
- Order mount separately (3PH or skidsteer adapter)
- AR400 abrasion-resistant skid shoes



Top View







Model	MKGL578	MKGL678	MKGL778	MKGL878
Working Width	60"	72"	84"	96"
Overall Width	65"	77"	89"	101"
Skid Shoes	3/8" x 2 Reversible	3/8" x 2 Reversible	3/8" x 2 Reversible	3/8" x 2 Reversible
Mouldboard Thickness	¼"	¼"	¼"	¼"
Cutting Edge	1" Adjustment	1" Adjustment	1" Adjustment	1" Adjustment
Weight (LBS.)	600	665	730	796
List Price	$2,885	$3,010	$3,185	$3,485

NOTE: Hitch must be ordered separately.

OPTIONS

- Mount – Select the correct mount for application at time of order

Options	Part #	Weight (LBS.)	List Price
Optional Skidsteer Adapter	MKGLSSMNT	156	$905
Optional 3PH Adapter (Cat. 1 & 2)	MKGL3PTMNT	36	$365



ANGLED GRADER LEVELERS

To achieve a crowned surface when grading that promotes improved water run-off, try MK Martin's Angled Grader Leveler. With all the same benefits of the standard Grader Leveler, two angled blades efficiently direct more material to one side to naturally create a mounding effect.

SCAN QR CODE
SEE MORE ONLINE

FEATURES

- Two angled ½" x 6" reversible cutting edges
- Cutting edge angled between 5° - 9° depending on model
- 3/8" x 2 reversible skid shoes
- Order mount separately (3PH or skidsteer adapter)
- AR400 Abrasion-Resistant Skid Shoes



Top View







Model	MKGL578A	MKGL678A	MKGL778A	MKGL878A
Working Width	60"	72"	84"	96"
Overall Width	65"	77"	89"	101"
Skid Shoes	3/8" x 2 Reversible	3/8" x 2 Reversible	3/8" x 2 Reversible	3/8" x 2 Reversible
Mouldboard Thickness	¼"	¼"	¼"	¼"
Cutting Edge	1" to -0.5"	1" to -0.5"	1" to -0.5"	1" to -0.5"
Cutting Angle (Deg.)	9	7	6	5
Weight (LBS.)	568	632	697	761
List Price	$2,990	$3,120	$3,295	$3,595

NOTE: Hitch must be ordered separately.

OPTIONS

- Mount – Select the correct mount for application at time of order

Options	Part #	Weight (LBS.)	List Price
Optional Skidsteer Adapter	MKGLSSMNT	156	$905
Optional 3PH Adapter (Cat. 1 & 2)	MKGL3PTMNT	36	$365

See applicable setup fees on page 60

7 YEAR WARRANTY



LAND LEVELERS

Standard on all models is our 1/2 inch thick reversible hardened cutting edge, ready to smooth out the bumps and fill in the hollows. Cutting depth is controlled by a 3"x8" hydraulic cylinder so you can decide how much of a bite to take and adjust on the go. All models are well suited for feedlot and soil reclamation or swale cutting.

SCAN QR CODE
SEE MORE ONLINE

FEATURES

- 1/2” x 6” reversible hardened cutting edge
- Equipped with a 15” jack
- 3” x 12” hydraulic lift cylinder
- 3” x 6” cylinder to tilt 10° each way
- GPS Mount ready

8'-12' WIDTH





Trailed Models	LLT-8	LLT-10	LLT-12
Width	8’	10’	12’
Mount	Hitch	Hitch	Hitch
Horse Power (Max.)	165	165	165
Tilt	Yes	Yes	Yes
Cutting Edge	Single	Single	Single
Side Plate	3/8”	3/8”	3/8”
Mouldboard	¼”	¼”	¼”
Mouldboard Height	30"	30"	30"
Mouldboard Depth	32"	32"	32"
Skidbar	½” Reversible	½” Reversible	½” Reversible
Weight	1,555	1,771	1,898
List Price	$9,195	$10,125	$11,020



WEIGHT BOXES

With a material holding volume of 3.5 cubic feet and maximum holding weight of 525 lbs., a fully loaded MK Martin weight box can add up to 575 lbs. of balancing weight to tractor. This added weight backs up your tractor by offsetting your loader mounted attachments helping to keep your tractor safely balanced during operation.

SCAN QR CODE
SEE MORE ONLINE



Model	MKWB
Hitch Type	Cat. 1 & 2
Box Volume	3-½ cu ft
Max Weight (box and fill) (LBS.)	575
Max Weight (fill only) (LBS.)	525
Quick Hitch Compatible	Yes
Max 2” Receiver Load (LBS.)	500
Shipping Weight (LBS.)	104
List Price	$780

FEATURES

- 3.5 cu. ft. internal volume
- 525 lbs maximum holding weight
- Cat. 1 & 2 3PH compatible
- Tool holder
- Clean out hatch
- 2" Hitch receiver

Minimum order quantity of 2 to qualify for free freight



2" HITCH RECEIVER



TOOL HOLDER

Fill Type	Weight Per Cubic Foot (lbs.)
Concrete	150
Gravel	110
Sand	100

See applicable setup fees on page 60

7 YEAR WARRANTY



LANDSCAPE RAKES

MK Martin general purpose landscape rakes can be used for a variety of functions around your property. Use it for spring cleanup of branches and debris, windrowing stones and rocks, and also for adjusting soil and gravel profiles. Available in 4 to 8 ft. widths, individually attached tines can easily be replaced or removed for custom spacing or application.

SCAN QR CODE
SEE MORE ONLINE

FEATURES

- Cat. 1 quick attach compatible
- 5/16” x 1” x 15.25” spring tines
- 5 forward and 3 reverse positions with manual adjustment





Model	MKLR4	MKLR5	MKLR6	MKLR7	MKLR8
Width	4’	5’	6’	7’	8’
MAX HP	50	50	50	50	50
Weight (LBS.)	246	250	263	285	302
Tines	24	30	36	42	48
Max Angle	45°	45°	45°	45°	45°
Width at Max Angle	32"	41"	50"	57"	66"
List Price	$1,525	$1,705	$1,810	$1,915	$2,020

OPTIONS



HYDRAULIC ANGLE KIT

Part #	List Price
MKGB88ANG16	$455



GAUGE WHEEL KIT

Part #	List Price
MKLRWK	$740



CULTIVATORS

Whether you're preparing a large country garden, a deer plot, or small acreage for planting, the MK Martin Cultivator helps create the ideal seedbed for healthy growth. Available in working widths from 60 to 84 inches, these cultivators are designed to pair perfectly with compact and utility tractors using a Category 1 three-point hitch.

SCAN QR CODE
SEE MORE ONLINE

FEATURES

- 9 Heat Treated Tines
- Cat. 1 3PH Mount



Model	CU-5	CU-6	CU-7
Working Width	60”	72”	84”
Overall Width	60-½”	72-½”	84-½”
Weight (LBS.)	164	193	222
Tines (Heat Treated)	9 tines	11 tines	13 tines
3PH Mount	Cat. 1	Cat. 1	Cat. 1
List Price	$1,095	$1,325	$1,435

OPTIONS



BOLT-ON 7" SWEEPS

Part #	List Price
CUSweeps	$18/ea
CUPoints	$11/ea



GAUGE WHEEL KIT

Part #	List Price
CUWK	$360

(4" depth adjustment, 2.5"x12" rubber wheel)

See applicable setup fees on page 60

7 YEAR WARRANTY



TRACK CURRIES

This easy to use tool will allow you to condition the surface of your track to your desired firmness. With two rows of heavy duty S-tines to cultivate the ground, an adjustable leveling bar fastened to the rear of the S-tines and 12" rolling drum behind the leveling bar provides an accurate depth gauge to cultivate and pack your soil for optimum performance.

SCAN QR CODE
SEE MORE ONLINE





5'-8'
WORKING WIDTH

Model	TC-5	TC-6	TC-7
Working Width	5’	6’	7’
Number of Shanks	13	15	17
Shank Size	1-¼” x 3/8” x 22”	1-¼” x 3/8” x 22”	1-¼” x 3/8” x 22”
Shank Clearance	16”	16”	16”
3PH Mount	Cat. 1	Cat. 1	Cat. 1
HP Rating	18 - 32	22 - 39	26 - 47
Weight (LBS.)	460	530	640
Leveling Bar	3/8" x 6” (double beveled)	3/8" x 6” (double beveled)	3/8" x 6” (double beveled)
List Price	$4,630	$4,855	$5,045

FEATURES

- Two rows of adjustable S-Tines
- Adjustable leveling bar
- 12” rolling drum (adjustable)
- Spill plates direct material into the working width
- Quick hitch compatible



SPILL PLATES

Every MK Martin Track Curry comes with two standard spill plates. These funnel any excess material into the Track Curry’s path, ensuring your arena or track keeps looking its best.



TC-8
8’
19
1-¼” x 3/8” x 22”
16”
Cat. 1
30 - 53
725
3/8" x 6” (double beveled)
$5,645

OPTIONS

- Wing – levels and reclaims material around the edge of arenas
- Scarifier bar – used for working up hard pack
- Sprinkler kit



WING

The optional Track Curry wing from MK Martin easily levels the edge of the riding arena for a clean and professional look.

Part #	Option	List Price
TC Wing	Track Curry Wing	$510



SCARIFIER BAR

Dig deeper with the optional scarifier bar. Each shank on the scarifier bar is height adjustable, or can be removed or inverted for the right amount of action.

Part #	Option	List Price
TCSA5	5’ Scarifier Bar	$1,420
TCSA6	6’ Scarifier Bar	$1,605
TCSE12	12” Scarifier Extension (x2)	$495



SPRINKLER KIT

Equipped with a 25 gallon tank, the optional sprinkler kit reduces the amount of dust being thrown into the air when working with dry material.

Part #	Option	List Price
TCSK	Sprinkler Kit	$3,545

For 7' & 8' scarifier bars, please order the following parts combinations to match your width.

Width	Combine
7 foot	TCSA5 + TCSE12
8 foot	TCSA6 + TCSE12

See applicable setup fees on page 60



ROTARY TILLERS - PTO

Whether you're tilling up your country garden, or preparing a lawn for new grass seed, the MK Martin PTO Rotary Tiller powers through compacted soil to create a fine, well-mixed seedbed in a single pass. Tearing through the ground are individually replaceable, bolt-on tines. For optimal performance, each rotor flange houses 6 tines.

SCAN QR CODE
SEE MORE ONLINE

FEATURES

- Replaceable bolt-on tines
- Self-lubricating chain drive
- Floating deflector
- 3PH mount offset
- Slip clutch





Models	MKRT486	MKRT546	MKRT606	MKRT726
Horsepower	15-30 HP	20-40 HP	20-50 HP	25-60 HP
Hitch	Cat. 1	Cat. 1	Cat. 1	Cat. 1
Inner Width (in.)	50	54	58	74
Overall Width (in.)	55.375	59.375	63.375	79.375
Weight (lbs.)	491	514	525	636
Number of Flanges	6	6	7	9
Tines/Flange	6 (C-Shape)	6 (C-Shape)	6 (C-Shape)	6 (C-Shape)
Flange Spacing (in.)	7.75	7.75	7.75	7.75
Max Tillage Depth (in.)	6.5	6.5	6.5	6.5
Number of Skid Shoe Settings	5	5	5	5
Rotor Diameter (in.)	17”	17”	17”	17”
Rotor Speed @ 540 PTO (RPM)	211	211	211	211
Gearbox (HP)	50HP @ 540	50HP @ 540	50HP @ 540	50HP @ 540
Drive Chain	#80	#80	#80	#80
List Price	$4,535	$4,975	$5,380	$6,260



HYDRAULIC ROTARY TILLERS

MK Martin Hydraulic Rotary Tillers are designed to aggressively work up compacted soil into a finely cultivated seedbed, quickly and efficiently. Designed with a universal quick attach plate to mount to most standard skidsteers, MK Martin offers high flow or low flow models that operate with flow rates from 16 to 40 gallons per minute.

SCAN QR CODE
SEE MORE ONLINE

FEATURES

- Skidsteer attachment plate
- 74” working width
- 9 tine flanges
- 6 tines per flange
- Working depth 6.5”
- 17” rotor



Models	MKRT726HYD-SF	MKRT726HYD-HF
Flow	Standard	High Flow
Hitch	Skidsteer Attachment Plate	Skidsteer Attachment Plate
Inner Width (in.)	74	74
Overall Width (in.)	79.375	79.375
Weight (lbs.)	725	725
Number of Flanges	9	9
Tines/Flange	6 (C-Shape)	6 (C-Shape)
Flange Spacing (in.)	7.75	7.75
Max Tillage Depth (in.)	6.5	6.5
Rotor Diameter (in.)	17”	17”
Drive Chain	#80	#80
List Price	$5,985	$6,165

Flow Rates	
Standard	16-28 GPM
High Flow	28-40 GPM

To ensure optimum performance, hydraulic output must match motor package.
**Requires case drain hose*

See applicable setup fees on page 60

7 YEAR WARRANTY





GARDEN HILLERS WITH PLOW

Built for serious gardeners, this Category 1, 3-point hitch attachment spans 60 inches and features adjustable 14-inch discs. Switching between plowing and hilling is simple—just reposition the discs to match your task. In plowing mode, you'll create straight evenly spaced furrows that are ready for planting in no time. When it's time to hill, just loosen the bolt and adjust the discs.

SCAN QR CODE
SEE MORE ONLINE

FEATURES

- Garden hiller and plow combination attachment
- Discs can be easily relocated to quickly change from plowing action to hilling action
- Shanks & sweeps keep soil loose after tractor compaction
- Adjustable disc height and horizontal spacing
- Discs angle is adjustable
- 2x2 steel tube construction
- Steel storage stand



Model	MKGH60
Width	60"
Hitch	Cat. 1
Disc	14"
Weight	100 lbs.
List Price	$915

ADJUSTABLE HANDLES

NEW





PLOWING POSITION



HILLING POSITION



POTATO DIGGERS

Ideal for the hobby farmers and the serious gardener, MK Martin's potato diggers make quick work of the potato harvest. Featuring a reverberating camshaft and an adjustable sieve tine basket, this innovative attachment digs the potatoes, shakes off the dirt and gently leaves them ready for pickup.

SCAN QR CODE
SEE MORE ONLINE

FEATURES

- Fits Cat.1 3PH tractors
- Tow-behind design with rear discharge
- 5 adjustable plowshare digging depths
- Adjustable sieve tine basket
- Reverberating camshaft
- Adjustable wheel base
- Anti-vibration rubber bushings
- Lower lift pins and top link pin included





Model	MKPD20
Working Width	19"
Overall Width	41 13/16"
Overall Length	51 ½"
Overall Height	38 3/8"
Digging Depth	11"
PTO	540 RPM
3PH Mount	Cat.1
HP Requirements	18HP (min) - 35 HP (max)
Weight	340 lbs.
Wheels	17", adjustable air-filled
Wheel adjustment	2 positions to adjust dig depth
List Price	$4,295

See applicable setup fees on page 60

7 YEAR WARRANTY



TRAILER BACKHOE

MK Martin's BT810 Trailer Backhoe is powered by an electric start Briggs & Stratton engine. This backhoe has a working depth of 5 feet 3 inches and a digging force of 1,764 lbs., making it the right machine for property maintenance or landscaping projects. Easily towed from one job to the next, the BT810 offers a full 360 degree rotation, allowing you better range and maneuverability.

SCAN QR CODE
SEE MORE ONLINE







MKBT810	Standard Setup
Engine HP	14 HP Gasoline
Start up	Electric
Digging Force	800 kg/1,764 lbs
Bucket Reach	204 cm / 6' 8"
Working Depth	160 cm / 5 ft 3 inches
Tongue Weight	113 kg / 250 lbs
Lifting Capacity	200 kg / 440 lbs
Total Weight	600 kg / 1323 lbs
Total Reach of Boom	270 cm / 8' 10"
Hydraulic Pressure	16 MPA / 2,320 psi
GPM	7.5 GPM at 1800 RPM
List Price	$11,105









14HP GASOLINE ENGINE



5 FOOT 3 INCH WORKING DEPTH



360 DEGREE ROTATION



ELECTRIC START



CURVED BOOM DESIGN



12" & 18" BUCKET WITH MECHANICAL THUMB

See applicable setup fees on page 60

7 YEAR WARRANTY



GRAVITY BOXES

The MK Gravity Box comes in four models, available with optional extensions. Ranging from 335 - 1200 bushel capacities, we have the perfect sized Gravity Box for your operation. Available on the proven running gear from Horst Wagons, or as a box-only model to place on your own wagon, you can rest easy knowing that the MK Martin Gravity Box is going to get your load where it needs to go.

SCAN QR CODE
SEE MORE ONLINE





Model	MKGW3200			MKGW5000		
Extension	N/A	8”	19”	N/A	8”	12”
Capacity (Bushels)	335 bu	395 bu	480 bu	520 bu	595 bu	635 bu
Hopper Construction	14 GA.			12 GA.		
Under Structure	3” x 6” x .188 wall rectangular tube			4” x 8” .188” wall rectangular tubing		
Unloading Door	45” width			57” width (standard) 28” width x2 (divider)		
Chute Height	17”-20”			17”-21”		
Box Dimensions						
Length	158”	158”	158”	196”	196”	196”
Width	96”	96”	96”	101”	101”	101”
Height (less wagon)	78”	86”	98”	89”	98”	101”
Height (wagon & 22.5” wheel)	102”	110”	122”	123”	131”	135”
Weight (LBS.)	1,980	2,130	2,270	3,610	3,845	3,915
Wheel Base	112”			142”		
Suggested Wagon	275 Horst Wagon - 425/22.5 Tires			365 Horst Wagon - 425/22.5 Tires		
List Price	$10,390	$11,295	$11,595	$14,850	$15,840	16,075
List Price c/w Horst Wagon*	$16,030	$16,935	$17,235	$22,680	$23,670	23,905
Suggested Wagon Included	275 Horst Wagon - 425/22.5 Used Truck Tires			365 Horst Wagon - 425/22.5 Used Truck Tires		

** Wagon options not included in list price. Wagon options are available at an additional cost. Bushel capacities were verified with dry corn tested at 56 lbs./bu.*



MKGW12000SD





MKGW12000CD

Model	MKGW6500			MKGW12000SD	MKGW12000CD
Extension	N/A	8”	12”	N/A	N/A
Capacity (Bushels)	690 bu	785 bu	835 bu	1,200 bu	1,200 bu
Hopper Construction	12 GA.			12 GA.	12 GA.
Under Structure	4” x 8” .188” wall rectangular tubing			4x8x.25w	4x8x.25w
Unloading Door	57” width (standard) 28” width x2 (divider)			15” length x 47” width X 2	15” length x 47” width X 2
Chute Height	16”-20”			18” (Side Discharge)	18” (Center Dump)
Box Dimensions					
Length	229”	229”	229”	315”	315”
Width	115”	115”	115”	110”	110”
Height (less wagon)	91”	99”	103”	136”	136”
Height (wagon & 22.5” wheel)	125”	133”	137”	156”	156”
Weight (LBS.)	4,645	4,915	5,005	17,500	17,500
Wheel Base	156”			215”	215”
Suggested Wagon	485 Horst Wagon - 425/22.5 Tires			608 Horst Wagon- 425/22.5 Tires (with brakes)	608 Horst Wagon- 425/22.5 Tires (with brakes)
List Price	$21,940	$23,135	$23,415	N/A	N/A
List Price c/w Horst Wagon*	$32,605	$33,800	$34,080	$125,430	$125,430
Suggested Wagon Included	485 Horst Wagon - 425/22.5 Used Truck Tires (Reinforced Rims)			608 Horst Wagon- 425/22.5 Used Truck Tires (with brakes)	608 Horst Wagon- 425/22.5 Used Truck Tires (with brakes)

** Wagon options not included in list price. Wagon options are available at an additional cost.*
All wagons come with used 425 truck tires. Tarp kit is included in the price for the 12000 model.

See applicable setup fees on page 60



GRAVITY BOX OPTIONS

HYDRAULIC DOOR OPENER

Part # MKGW-HYD Door	Description	List Price
MKGW50HD	Hydraulic Door Opener (MK5000)	$1,375
MKGW65HD	Hydraulic Door Opener (MK6500)	$1,375



The Hydraulic Door allows you to conveniently control the metering of the material using a remote from your tractor.

UNLOADING AUGER

Adjustable hopper attaches to the exit door. Available in either stainless or black powder coated downspout.



DIVIDER KIT

Part #	Description	List Price
MKGW32DIV	Center Divider (MK3200)	$2,615
MKGW50DIV	Center Divider (MK5000)	$2,715
MKGW65DIV	Center Divider (MK6500)	$2,970





The optional divider splits your Gravity Box 1, allowing for two separate commodities to be in the box at the same time. Each side also has it's own door for individual unloading and metering 2.

Part #	Description	List Price
MKGWAT6X16	6" x 16' auger with cupped steel flighting & telescopic downspout.	$3,550
MKGWAT8X16	8" x 16' auger with cupped steel flighting & telescopic downspout.	$5,690
MKGWATSS6X16	6" x 16' stainless steel auger with cupped flighting & telescopic downspout	$7,410
MKGWATSS8X16	8" x 16' stainless steal auger with cupped flighting & telescopic downspout	$11,785



GRAIN SHIELD TARP KIT

Part #	Capacity	List Price
MKGW32TS	320-450	$2,240
MKGW50TS	500-610	$2,695
MKGW65TS	645-800	$3,020

**Comes standard on MKGW12000 model.*



This ratchet-free locking system not only protects the contents from blowing away and from inclement weather, but also locks quickly and easily so you can head out sooner.

REAR LADDER KIT

Part #	Description	List Price
MKGW32LAD	Fits 3200 Models	$575
MKGW50LAD	Fits 5000 & 6500 Models	$575



The optional rear ladder gives another access point for operators to look into the Gravity Box.

CENTER DUMP

Part #	Description	List Price
MKGW32CD	Center Dump for 3200	$445
MKGW65CD	Center Dump for 5000 & 6500	$445



The optional center dump directs the unloading material beneath the gravity box, ideal for when the unloading area isn't wide enough for standard side dumping.

WAGON OPTIONS

Part #	Description	List Price
HORSTWA-BR2WDI	Brakes	$3,340
HORSTWA-SBD	Spring Balancer (Double)	$275

See applicable setup fees on page 60

7 YEAR WARRANTY



FIELD ROLLER

The MK Martin Field Roller, engineered to effectively pack and level your field surface, protecting your equipment from large rocks, and achieving optimal seed-to-soil contact. Unlike many field rollers, the MK Field Roller is built with an impressive half-inch thick rolled steel to form the drum. This additional thickness protects the drum from damage while rolling over larger rocks.

SCAN QR CODE
SEE MORE ONLINE



34'-46'
WORKING WIDTH

Models	R3436	R3636	R4136
Field Working Width	34'	36'	41'
Min. Req. HP	140 HP	144 HP	164 HP
Frame Sections	11.5' -12' - 11.5'	12.5' -12' - 12.5'	15' -12' - 15'
Tongue Weight	2050 lbs.	2400 lbs.	3400 lbs.
Section Overlap	5"	5"	5"
Machine Weight	16,190 lbs	17,275 lbs	19,055 lbs
Weight Per Foot	475 lbs	479 lbs	464 lbs
Drum Dia.	36"	36"	36"
Drum Wall Thickness	½"	½"	½"
Center Frame Transport Cylinder	5" x 48" cylinder	5" x 48" cylinder	5" x 48" cylinder
Wing Boom Cylinder	4" x 48"	4" x 48"	4" x 48"
U-Joint & Pivot Pin Diameter 2" w/ Maintenance Free Composite Bushings			
Drum Roller Shaft Diameter	3"	3"	3"
Dimensions	164"W x 270"L x 150"H	164"W x 270"L x 150"H	164"W x 270"L x 150"H
Tires (4)	12.5LX15FI	12.5LX15FI	12.5LX15FI
List Price	$55,090	$58,335	$66,435



FEATURES

- Weight per foot ranging from 475 lbs to 453 lbs
- Forward fold design for quick setup and fold up
- Mud scraper on the back side prevents mud build up on the drums
- Backed by our 7 year warranty
- Road Lights

MUD SCRAPER



1/2" THICK DRUM





3" DRUM SHAFT & BEARING



NARROW 164" TRANSPORT WIDTH

R4636
46'
184 HP
17.5' -12' - 17.5'
4900 lbs.
5"
20,855 lbs
453 lbs
36"
½"
5" x 48" cylinder
4" x 48"
3"
164"W x 270"L x 150"H
12.5LX15FI
$74,540



34' - 46' WIDTHS



36" DRUM DIAMETER



FORWARD FOLD DESIGN

See applicable setup fees on page 60

Effective on products retailed on or after October 1, 2022

Seven Year Limited Consumer Warranty
90 Day Limited Commercial Warranty including Gearboxes

Commercial includes rental and industrial applications.

Warranty begins at the time of customer delivery and is activated upon warranty registration receipt at MK Martin Enterprise Inc.

Warranty coverage is null and void unless the Warranty Registration form has been completed in full and is on file at MK Martin Enterprise Inc.

Keep your registration copy in a safe place, it is required as proof of warranty activation.

This new and unused product is warranted by MK Martin Enterprise Inc. to be free from defects in material and workmanship under normal use and regular service as described in the owner's manual, for a consumer period of 7 years from the date of delivery, and commercial period of 90 days, including gearboxes, from the date of delivery. Warranty is limited to the replacement of parts and / or repair of the product.

If issues develop within the warranty period with the product, contact the local dealer from which you purchased the unit. Only MK Martin authorized dealers may make repairs to the product or affect the replacement of defective parts, unless otherwise approved by MK Martin. Repairs / replacement will be done at no charge within a reasonable time after the receipt of the product. This warranty does not cover the following items:

1. Normal replacement of service items.
2. Normal maintenance or adjustments.
3. Machines or parts lost or damaged during shipment,
4. Accessory items / parts not supplied by MK Martin
5. Damages resulting from:
   misuse, negligence, accident, theft or fire
   use of improper or insufficient fuel, fluids or lubricants
   use of aftermarket parts or accessories, unless approved by MK Martin
   modifications, alteration, tampering or improper repair
   any device or accessories installed other than an authorized dealer.
6. Tires are covered by the manufacturer of the tire and the warranty period specified by that manufacturer. **Please contact the tire manufacturer for warranty on these items.**

MK Martin Enterprise Inc. shall not, in any event, be liable for any losses, damages or costs; to include profits, travel, transportation, pick up, delivery, towing cost, tow vehicle, loss of use, whether special, incidental, consequential or otherwise, in any way. Unit or parts are returned at the customer's expense.

Include a copy of your completed Warranty Registration form with any claim as proof of warranty activation. There are no warranties, expressed or implied, other than those specified herein. No agent, employee or other person has any authority to vary any of the foregoing provisions.

Warranty coverage is null and void unless the Warranty Registration form has been completed in full and is on file at MK Martin Enterprise Inc. Warranty begins at the time of customer delivery and is activated upon Warranty Registration receipt at MK Martin Enterprise Inc.

Product	Standard Color
Gravity Box	Red, Green, or Blue
Snowblowers	Charcoal or Red
Commercial Blowers/Throwers	Charcoal, Industrial Yellow
Rotary Cutters & Mowers	Charcoal, Industrial Yellow
Box Grader & Grader Blades	Charcoal
XD Grader Blades	Industrial Yellow
Land Leveler	Industrial Yellow
Grader Leveler	Industrial Yellow
Land Plane	Industrial Yellow
Track Curry	Industrial Yellow
Rotary Tiller	Charcoal
Landscape Rake	Charcoal
Cultivators	Charcoal
Weight Box	Charcoal

Product	Setup Fee
Gravity Box on Running Gear	$205
Running Gear Assembly	$270
Gravity Box Extension	$270
Gravity Box Divider Installation	$1,475
Tarp Kit Installation	$725
Land Leveler Setup	$205
Snowblower Setup	$185
PT Snowblower Rear Blade	$175
Cultivator Setup	$175
Track Curry Setup	$235
Rotary Cutters & Mowers	$165
Rotary Cutter Chain Guard	$165
Brake Setup	$350

Any other setup charges not listed will be subject to a rate of $75.00/hr.

Custom Colours

Custom tractor match colours will be provided at no extra charge.



RED GREEN ORANGE BLUE CHARCOAL BLACK INDUSTRIAL YELLOW

E&OE Errors and omissions excepted September 2026. Pricing and specifications printed in this catalogue are current at printing and may be subject to change without notice. For current information on all of our products, please contact MK Martin directly.

Discontinued Products and Models

Rotary Cutters & Mowers
PRC48L Light Duty PTO Rotary Cutter
UTVM48 Trail/UTV Mower
UTVM48E Trail/UTV Mower

Axis Tool Arm
Axis4
Axis5-6

Disc Mower Implement Caddy
MKC1200
MKC1201

Implement Caddy
SCIC250
SCIC1700

Light Duty Grader Blades
MKGB467
MKGB567
MKGB667

3PH Dump Box
DB495
DB395

See applicable setup fees on page 60

7 YEAR WARRANTY

MKMARTIN



LIVING COUNTRY

Equipment For Rural Property Care

STAY CONNECTED ON SOCIAL MEDIA!

MKMARTIN

3950 Steffler Rd., Elmira Ontario, N3B 2Z3

Toll Free: 855-664-2752
Tel: 519-664-2752
Email: sales@mkmartin.ca

www.mkmartin.ca

Prices take effect September 1, 2026

Authorized Dealer

260283 | Printed in Canada | October 2026